



## Care and Maintenance Tips

Please inspect your product after your purchase and before installation. Clean your product after installation and before first use.

Do not allow water spots to dry on your product. To keep your product beautiful: KEEP THEM CLEAN AND DRY. Use clean, soft cloth.

Always test your cleaning solution on an inconspicuous area before applying to the entire surface of your product.

Wipe surfaces clean and rinse completely with water immediately after applying cleaners. Rinse and dry any overspray that lands on nearby surfaces. Do not allow cleaner to soak.

To clean your product, use a soft, dampened sponge or cloth. Never use abrasive cleaning items. Under no circumstances should abrasive, rough, acidic or alcohol cleaners be used.

**IMPORTANT:** It is the responsibility of the customer to check for defects. Claims for damaged, defective, or imperfect goods inside the packing must be determined before installation.

### Antique Brass, Antique Copper, and Oil Bronze Sinks

Antique Brass and Antique Copper finishes are created by a classic Old-World patina process that will develop even more interest and individual distinction with age.

Clean stubborn spots with a non-abrasive liquid or paste polish. Use a liquid non-ammoniated pure soap. We recommend a regular application of protective film be applied, such as FLITZ FAUCET & FIXTURE WAX or a furniture wax, which does not contain polish, to the surface of the antique copper or antique brass.

These sinks have no protective coatings. They will darken and spot without proper care.

### Ceramic and Vitreous China Bathroom Sinks

Clean stubborn spots with a non-abrasive liquid or paste polish. Rinse thoroughly and use a soft cloth to wipe the product dry after each use.

Be careful not to leave staining materials in contact with the surface for extended period of times

### Glass & Crystal Sinks

To clean your product, use a soft, dampened sponge or cloth. Never use abrasive cleaning items. Under no circumstances should abrasive, rough, acidic or alcohol cleaners be used.



Rinse thoroughly and use a soft cloth to wipe the product dry after each use and cleaning.

### **Faucets & Fittings - Chrome, PVD Colors and Finishes**

To clean your product, use a soft, dampened sponge or cloth. Never use abrasive cleaning items. Under no circumstances should abrasive, rough, acidic or alcohol cleaners be used.

Use faucet cleaners. Rinse thoroughly and use a soft cloth to wipe the product dry after each use and cleaning.

### **Natural Stones Sinks & Tubs**

Stones not only look beautiful, but it is also hard and durable. All stones have an absorption factor. Tap water contains chemicals (chlorine, fluoride, purifiers) minerals and salts that may penetrate the stone and cause discoloration. To guarantee its long-lasting beauty, a preventative maintenance program is needed. Please follow our easy maintenance instructions.

Clean stubborn spots with a non-abrasive liquid or paste polish.

These sinks/ tubs are honed and sealed.

Apply stone/ marble seal every 3-5 year or whenever necessary. This will help lower the absorption of liquids. We recommend Masterpiece Stone/ Marble Care Products.

To clean stains or spots we recommend you call a local marble maintenance repair company. See your Yellow Pages Directory.

Never use cleaners with abrasives, soft scrub, Clorox, or Drano type products on these finishes.

### **Shiny Nickel, Matte Nickel, Shiny Chrome, Matte Chrome, Shiny Gold and Matte Gold sinks**

Clean stubborn spots with a non-abrasive liquid or paste polish. We recommend "FLITZ METAL POLISH" or "FAUCET BRITE".

A paste wax may also be applied to the polish surface to minimize and delay the tarnishing process, it will add another temporary protective coat. We recommend "FLITZ FAUCET & FIXTURE WAX".

These sinks have no protective coatings. They will darken and spot without proper care.

### **Shiny Brass, Matte Brass, Shiny Copper, and Matte Copper Sinks**

Shiny Brass, Matte Brass, Shiny Copper, and Matte Copper will naturally tarnish as a matter of course but are readily restored to their original luster by polishing with commercially available brass polish.



The aging process may be altered in an undesirable fashion by calcium stains left behind by drying water. Clean stubborn spots with a non-abrasive liquid or paste polish. We recommend "FLITZ METAL POLISH" or "FAUCET BRITE".

A paste wax may also be applied to the polish surface to minimize and delay the tarnishing process, it will add another temporary protective coat. We recommend "FLITZ FAUCET & FIXTURE WAX".

These sinks have no protective coatings. They will darken and spot without proper care.

### **Showerheads, Hand showers, and Body Sprays**

To clean your product, use a soft, dampened sponge or cloth, rub spray face and nozzles. Never use abrasive cleaning items. Under no circumstances should abrasive, rough, acidic or alcohol cleaners be used.

Use faucet cleaners. Hold the sprayer 6"-8" from the surface and spray the area.

Rinse thoroughly and use a soft cloth to wipe the product dry after each use and cleaning

### **Solid Surface Materials Sinks & Surfaces**

Use clean, soft cloth. Most dirt & residue and watermarks; use soapy water or ammonia based cleaner, rinse and wipe dry.

Difficult residue: spray residue with soapy water or ammonia based cleaner. Rub entire surface with a green Scotch-Brite®\* pad in a circular motion. Rinse surface with water and wipe dry

### **Stainless Steel Finishes**

Clean stainless steel once a week. Always apply stainless steel cleaner. Use only non-scratch cleaning pads. Use soft cloth or sponge. Do not use a steel wool pad, wire brushes or abrasive sponge pots.

Rinse thoroughly after each use. Thorough rinsing can be done by running the water for a few minutes and rubbing the cleaned area with a sponge.

Do not scour the product across the finish lines. Scouring across the finish lines can damage the original sink finish.

Do not leave wet sponges, cloths, standing solutions of chlorine bleach, or cleaning pads on your product. If left on your product too long they can cause surface pitting.



## Wood Furniture

To clean your product, use a soft, dampened sponge or cloth. Never use abrasive cleaning items. Under no circumstances should abrasive, rough, acidic or alcohol cleaners be used.

Blot spills immediately with a soft damp cloth.

Do not expose wood furniture to direct sun light, drying heat surfaces or dampers

Dust frequently with a soft cloth in the direction of the grain if any.

February 2021